

LIBRARY
STATE PLANT BOARD

Insect Pest Survey Bulletin

THE INSECT PEST SURVEY BULLETIN

A periodical review of entomological conditions throughout the United States,
issued on the first of each month from April to November, inclusive.

Volume 5

1925

Index

BUREAU OF ENTOMOLOGY
UNITED STATES
DEPARTMENT OF AGRICULTURE
AND
THE STATE ENTOMOLOGICAL
AGENCIES COOPERATING

INDEX TO INSECT PEST SURVEY BULLETIN

VOLUME 5, 1925

(Common names listed separately; see page 431)

<u>A</u>	<u>No.</u>	<u>Page</u>
Acridiidae - - - - -	1	9
	2	43,50,51,78
	3	97,98
	4	153,154,155,176
	5	228,229,230
		296,297,298
	7	341,342
	8	380
Adalia bipunctata L. - - - - -	2	57
Aedes aegypti L. - - - - -	8	394
Aedes cantator Coq. - - - - -	1	39
Aedes sollicitans Walk. - - - - -	1	39
	4	216,217
Aegeria exitiosa Say - - - - -	1	24
	2	62
	3	116
	4	177
	5	246
	7	351
	8	385
Aegeria pictipes G. & R. - - - - -	3	116
Aegeria rutilans Hy. Edw. - - - - -	4	189
Agonoderus pallipes Fab. - - - - -	6	301
Agrilus anxius Gory - - - - -	4	207
	6	325
Agrilus ruficollis Fab. - - - - -	3	119
	5	249
Agrilus sinuatus Oliv. - - - - -	3	115
Agrilus viridis var. fagi Ratz. - - - - -	7	369
	8	394
Agriolimax agrestis L. - - - - -	3	121
	4	185
	5	254
	7	373
Agriotes mancus Say - - - - -	4	160
Agromyza pusilla Meig. - - - - -	3	139
Agrotis fennica Tausch. - - - - -	3	97,121,122
	4	159
Agrotis sp. - - - - -	2	52
Agrotis ypsilon Rott. - - - - -	2	67
	3	100,127
	5	232
Alabama argillacea Hbn. - - - - -	3	133
	4	198,199
	5	272,273



Digitized by the Internet Archive
in 2013

<http://archive.org/details/insect1925index>

	No.	Page
Alabama argillacea Hbn. (contd.) - - - - -	6	322, 323, 324
	7	358, 359
	8	390, 391
Aleurocanthus woglumi Ashby - - - - -	3	146
Aleurodidae - - - - -	5	285
Alsophila pometaria Harris - - - - -	1	22
	3	111
	4	234
Alypia octomaculata Fab. - - - - -	4	179
	5	251
	8	384
Ametastegia glabrata Fall. - - - - -	3	120
Amphicernus bicaudatus Say - - - - -	3	97
Anabrus longipes Caudell - - - - -	3	51
Anabrus simplex Hald. - - - - -	2	98
	3	154, 155
	4	231
	5	297
Anaphothrips obscurus Miller - - - - -	6	24, 29
Anarsia lineatella Zell. - - - - -	1	177
	4	247
	5	306, 307, 310
	6	247
Anarsia sp. - - - - -	3	192
Anasa tristis DeG. - - - - -	4	263
	5	315
	6	275
Anastatus bifasciatus Fonsc. - - - - -	3	146
Anastrepha fraterculus Wied. - - - - -	3	335
	6	147
Anastrepha ludens Loew - - - - -	3	335
	6	146
Anastrepha sp. - - - - -	3	335
	6	71, 72
Ancylic comptana Froehl. - - - - -	2	123
	3	259
	5	328
	6	210
Ancylic platanana Clem. - - - - -	4	41
Anisota rubicunda Fab. - - - - -	1	382
Anobium punctatum DeG. - - - - -	8	61
Anomala orientalis Waterh. - - - - -	2	264
Anomala undulata Mels. - - - - -	5	32, 33, 34
Anthrenus eugenii Cane - - - - -	1	76, 77, 78
Anthrenus grandis Boh. - - - - -	2	131, 132, 133
	3	195, 196, 197, 198
	4	266, 267
	5	317, 318, 319
	6	358
	7	389, 390
	8	

	<u>No.</u>	<u>Page</u>
<i>Anthonomus grandis thurberiae</i> Pierce - - - -	5	267
<i>Anthonomus musculus</i> Say - - - - -	5	252
<i>Anthonomus scutellaris</i> Lec. - - - - -	5	249
<i>Anthonomus signatus</i> Say - - - - -	1	30
	2	72
	3	128
	5	228
<i>Anthonomus suturalis</i> Lec. - - - - -	4	181
	5	252
<i>Anthrenus fasciatus</i> Herbst - - - - -	5	290
<i>Anthrenus scrophulariae</i> L. - - - - -	5	290
<i>Articarcia gemmatilis</i> Hbn. - - - - -	7	347
<i>Anuraphis bakeri</i> Covan - - - - -	4	168
<i>Anuraphis maidi-radiciis</i> Forbes - - - -	4	167, 213
	5	238
	6	329
<i>Anuraphis persicae-niger</i> Smith - - - - -	3	116
	5	246
<i>Anuraphis roseus</i> Baker - - - - -	1	21
	2	57, 58
	3	109, 110
	4	170
	5	241
<i>Anuraphis viburnicola</i> Gill. - - - - -	3	141
<i>Apanteles bucculatricis</i> Mues. - - - - -	8	391
<i>Apanteles conspicua</i> Stretch - - - - -	4	200
<i>Apanteles oithona</i> Stkr. - - - - -	4	200
<i>Apanteles phyllira</i> Drury - - - - -	1	35
<i>Apanteles rectilinea</i> French - - - - -	4	200
<i>Aphiidae</i> - - - - -	1	14, 28, 34
	2	57, 70, 83, 84
	3	108, 121, 138, 141
	4	169, 212
	5	241, 254, 283, 286
	6	303, 329
	7	347
<i>Aphis communis</i> . misnomer for		
<i>Anuraphis viburnicola</i> Gill. - - - -	3	121
<i>Aphis forbesi</i> Wood - - - - -	2	72
	6	313, 314
<i>Aphis gossypii</i> Glover. - - - - -	2	73, 75
	3	123, 130, 133
	4	192, 195, 198
	5	262, 271, 272
	6	315, 319, 320
	7	354, 356
	8	330
<i>Aphis illinoisensis</i> Shim. - - - - -	5	250
<i>Aphis maidis</i> Fitch - - - - -	5	240
	6	302
<i>Aphis medicaginis</i> Koch - - - - -	5	304
<i>Aphis pomi</i> DeG. - - - - -	1	20
	2	57, 58
	3	108, 109

	No.	Page
Aphis pomi DeG. (contd.) - - - - -	4	169,170,183
	5	241
	6	304
	7	348,354
Aphis rumicis L. - - - - -	4	212
	7	348
Aphis sorbi auct. - - - - -	2	57
	3	108
Aphis spiraecola Patch - - - - -	1	26,27
	6	310
Aphis spireaella Schout. - - - - -	4	215
	6	330
Archips argyrospila Walk. - - - - -	5	243
Archips rosaceana Harr. - - - - -	5	215
Argas miniatus Koch - - - - -	1	41
	2	89
	4	220
	5	289
	8	396
Argyresthia thuiella Pack. - - - - -	3	135
	4	206
	5	276
Argyroploce abietana Fern. - - - - -	4	211
	5	283
Aspidiotus ancylus Putn. - - - - -	3	113
Aspidiotus forbesi Johns. - - - - -	5	248
Aspidiotus hederæ Vallot - - - - -	1	38
	6	310
	7	367
Aspidiotus perniciosus Comst. - - - - -	1	22,23,38
	2	60,63
	3	113,121
	4	176,212
	5	244
	6	306,307
	7	350
	8	383,384
Aspidiotus uvæ Comst. - - - - -	2	64,65
Atropidae - - - - -	6	333
Aulacaspis pentagona Targ. - - - - -	1	25
Autographa brassicae Riley - - - - -	7	355
	8	387
Autographa californica Speyer - - - - -	4	168
	5	239

B

Balaninus algonquinus Casey - - - - -	4	182
Bembidion quadrimaculatum L. - - - - -	4	195
Bibio albipennis Loew - - - - -	3	108
Bibio femoratus Wied. - - - - -	3	108
Bibio spp. - - - - -	3	108
Blattella germanica L. - - - - -	6	333
	7	373

	<u>No.</u>	<u>Page</u>
Blissus leucopterus Say - - - - -	1	13
	2	53
	3	102
	4	161, 162, 203
	5	234, 235
	6	300, 301
	7	345, 346
	8	381
Pombus sp. - - - - -	5	240
Bostrichidae - - - - -	7	373
	8	397
Brachypterolus pulicarus L. - - - - -	3	127
Brachystola magna Gir. - - - - -	6	298
Brevicoryne brassicae L. - - - - -	3	126
	4	188
	5	253
	6	313
	7	355
	8	387
Bruchophagus funebris Howard - - - - -	1	20
	5	240
	6	303
Bruchus obtectus Say - - - - -	1	41
Eryobia praetiosa Koch - - - - -	1	25, 41, 42
	3	104, 114, 145
	4	163
	5	245, 290
	6	310
Bucculatrix canadensisella Chamb. - - - - -	7	363
Bucculatrix thurberiella Busck - - - - -	8	391
Buprestidae - - - - -	6	310
Byturus unicolor Say - - - - -	3	119, 127
	4	179
<u>C</u>		
Cacoecia argyrosipila Walk. - - - - -	1	21
	2	59
	3	110
	4	171
	5	296
Cacoecia cerasivorana Fitch - - - - -	5	248
Cacoecia parallela Rob. - - - - -	4	215
Cacoecia rosaceana Harr. - - - - -	3	97
Calendra callosa Oliv. - - - - -	4	166
Calendra destructor Chttn. - - - - -	4	166
Calendra granaria L. - - - - -	1	43
	5	291
Calendra maidis Chttn. - - - - -	4	166
Calendra spp. (see also Sphenophorus spp.) - - - - -	4	166
Caliroa aethiops Fab. - - - - -	4	215
Caliroa cerasi L. - - - - -	5	245, 247, 248
	7	352
Calliphora erythrocephala Meig. - - - - -	5	288

	<u>No.</u>	<u>Page</u>
Calpodes ethlius Cram. - - - - -	4	213
	5	285
Camrula pellucida Scudd. - - - - -	3	98
	4	155
	5	230
	6	296
Carpocapsa pomonella L. - - - - -	1	21
	2	48, 58
	3	110
	4	170, 171
	5	241, 242
	6	296
	7	305, 341, 348
	8	379, 382
Cassidinae - - - - -	2	70
	5	265
Cathartus advena Walt. - - - - -	7	374
Cephalobus elongatus Delan. - - - - -	4	168
Cephus cinctus Norton - - - - -	5	227
	6	296, 299
Cephus pygmaeus L. - - - - -	1	15, 16
Ceratitidis capitata Wied. - - - - -	1	44
	3	146
	6	335
Cerafomia catalpae Boisd. - - - - -	5	277
	8	393
Ceresa bubalus Fab. - - - - -	2	60
	3	113
	4	175
Cerotoma trifurcata Foerst. - - - - -	2	73
	4	190
Ceutorhynchus rapae Gyll. - - - - -	3	126
Chaitophorus bruneri Williams - - - - -	4	211
	5	282
Chaitophorus negundinis Thos. - - - - -	4	207
Chalcis incerta Cresson - - - - -	4	199
Chalepus dorsalis Thunb. - - - - -	4	209
	5	279
	6	326, 327
	7	365
Chauliognathus pennsylvanicus DeG. - - - - -	7	368
Chelymorpha cassidea Fab. - - - - -	2	70
	5	265
Chermes abietis L. - - - - -	1	37
	7	366
Chermes piceae Ratz. - - - - -	2	81
Chermes pinicorticis Fitch - - - - -	2	83
	5	282
Chermes sp. - - - - -	5	282
Chilo plejadellus Linck. - - - - -	3	134
Chionaspis americana Johns. - - - - -	3	136
	6	326
	8	393

	<u>No.</u>	<u>Page</u>
<i>Chionaspis euonymi</i> Comst. - - - - -	2	83
	5	284
<i>Chionaspis furfura</i> Fitch - - - - -	1	39
	2	60
	4	175
	5	244
	7	351
<i>Chionaspis ortholobis</i> Comst. - - - - -	8	393
<i>Chionaspis pinifoliae</i> Fitch - - - - -	1	36
	3	137, 138
	1	210
	8	393
<i>Chirida guttata</i> Oliv. - - - - -	2	70
<i>Chorizagrotis auxiliaris</i> Grote (see also <i>Euxoa auxiliaris</i>) - - - - -	1	14, 15
	2	54, 55
	3	100, 101
	4	158, 159
<i>Chortophaga viridifasciata</i> DeGeer - - -	4	153
<i>Chromaphis juglandicola</i> Kalt. - - - -	3	122
	5	252
<i>Chrysobothris femorata</i> Oliv. - - - - -	6	327
	7	353, 369
<i>Chrysomphalus aonidum</i> L. - - - - -	3	138
<i>Chrysomphalus dictyospermi</i> Morg. - - -	3	139
<i>Chrysomphalus obscurus</i> Comst. - - - -	5	252
<i>Chrysomphalus tenebricosus</i> Comst. - - -	2	82
<i>Chrysomya macellaria</i> Fab. (see also <i>Cochliomyia macelluria</i>) - - - - -	1	40
	2	86, 87
	4	218, 219
	6	332
	7	371
<i>Cicadula sexnotata</i> Fab. - - - - -	8	381
<i>Cimex lectularis</i> L. - - - - -	5	290
<i>Cingilia catenaria</i> Drury - - - - -	7	353
<i>Cirphis unipuncta</i> Haw. - - - - -	1	17
	2	55, 56
	3	104
	4	165
	5	236, 237
	6	302, 303
<i>Cleonus sparsus</i> Lec. - - - - -	2	75
	4	194
<i>Cnidocampa flavescens</i> Walk. - - - - -	5	280
	7	362
<i>Coccus citricola</i> Comp. - - - - -	2	66
<i>Coccus hesperidum</i> L. - - - - -	5	284
	6	325
<i>Coccus pseudomagnoliarum</i> Kw. - - - - -	1	27
<i>Cochliomyia macellaria</i> Fab. (see also <i>Chrysomya macellaria</i>) - - - - -	5	288
	6	332
	7	370, 371
	8	395, 396

	<u>No.</u>	<u>Page</u>
<i>Colaspis brunnea</i> Fab. - - - - -	4	211
	5	238, 254, 259, 282
<i>Colaspis favosa</i> Say - - - - -	4	182
	5	252
<i>Colaspis</i> sp. - - - - -	5	281, 282
	7	365, 366
<i>Coleophora fletcherella</i> Fern. - - - -	3	111
	4	172
<i>Coleophora laricella</i> Hbn. - - - - -	3	156
	4	153, 209
<i>Coleophora malivorella</i> Riley - - - -	3	111
	4	172
<i>Colopha ulmicola</i> Fitch - - - - -	5	277
<i>Conotrachelus crataegi</i> Walsh - - - -	5	246
<i>Conotrachelus juglandis</i> Lec. - - - -	4	182
	8	393
<i>Conotrachelus nenuphar</i> Hbst. - - - -	1	24
	2	62, 63
	3	116, 117
	4	176, 177, 178
	5	246, 248
	6	307, 308
<i>Conotrachelus retentus</i> Say - - - - -	4	182
<i>Contarinia pyrivora</i> Riley - - - - -	4	176
<i>Contarinia sorghicola</i> Coq. - - - - -	2	56
<i>Coptodisca</i> sp. - - - - -	4	211
<i>Corythucha cydoniae</i> Fitch - - - - -	5	285
<i>Corythucha marmorata</i> Uhler - - - - -	5	285
<i>Corythucha pallida</i> var. <i>ulmi</i> Osb. & Drake - - - - -	7	364
<i>Cossula magnifica</i> Stkr. - - - - -	2	65
<i>Cotinis nitida</i> L. - - - - -	4	202
	5	247
	6	308
<i>Crambus caliginosellus</i> Clem. - - - - -	4	201
	5	237
<i>Crambus</i> sp. - - - - -	4	165, 166, 201
	5	237
<i>Crambus zeellus</i> Fern. - - - - -	5	237
<i>Craponius inaequalis</i> Say - - - - -	4	181
<i>Crepidodera erythropus</i> Melsh. - - - -	3	117
<i>Crioceris asparagi</i> L. - - - - -	3	128
	4	189
	5	259, 260
	6	314
<i>Cryptococcus fagi</i> Barenspr. - - - - -	7	341
<i>Cryptohypnus nocturnus</i> Esch. - - - -	4	153
<i>Cryptolaemus montrouzieri</i> Muls. - - -	3	123
	7	362
<i>Otenocephalus canis</i> Curtis - - - - -	1	42
	3	142
	4	217
	5	286, 287
	6	330
	7	372

Otenocephalus felis Bouche' - - - - -	1	42
	4	217
	5	286, 287
	6	330
	7	372
Culex quinquefasciatus Say - - - - -	1	39
Culex sollicitans Walk. - - - - -	1	39
	4	217
Culicidae - - - - -	1	39
	2	85
	4	216
	5	227
	7	369
Cyclocephala sp. - - - - -	2	56
Cylas formicarius Fab. - - - - -	1	29
	8	387
Cyllene robiniae Forst. - - - - -	6	326

D

Dacus oleae Rossi - - - - -	2	66, 67
Dasyneura communis Felt - - - - -	5	280
Dasyneura grossulariae Fitch - - - - -	2	65
Dasyneura rhodophaga Coq. - - - - -	8	394
Datana integerrima G. & R. - - - - -	5	283
	6	328
	7	366, 367
Datana ministra Drury - - - - -	5	243
	6	306
	7	349
Dendroctonus frontalis Zimm. - - - - -	1	36
	4	210, 211
Dendroctonus monticola Hopk. - - - - -	3	97
Dendroctonus pseudotsugae Hopk. - - - - -	2	49
	5	228
Dendroctonus sp. - - - - -	3	97
Dermacentor variabilis Say - - - - -	3	142
	4	217
	5	238
Dermacentor venustus Banks - - - - -	2	86
Dermanyssus gallinae Redi - - - - -	1	40
	2	89
	3	143
	4	220
	7	371
Dermestes lardarius L. - - - - -	1	42
Dermestes vulpinus Fab. - - - - -	1	43
Desiantha nociva Lea (see also		
Listroderes obliquus Gyll.) - - - - -	1	30, 31
	2	67, 68
	4	187
Desmia funeralis Hbn. - - - - -	5	251

	<u>No.</u>	<u>Page</u>
Diabrotica duodecimpunctata Fab. - - - - -	1	17, 18, 24, 26, 28, 31, 32
	2	74
	3	104
	4	166, 191
	5	284
	6	329
Diabrotica longicornis Say - - - - -	5	237
	6	301
Diabrotica soror Lec. - - - - -	2	68
	5	226, 262
Diabrotica sp. - - - - -	2	74
Diabrotica vittata Fab. - - - - -	2	74
	3	130
	4	190, 191
	5	227, 261, 262
Diacrisia virginica Fab. - - - - -	3	133
	4	199
Dialeurodes citri Ashm. - - - - -	2	66
	3	140
Diaphania hyalinata L. - - - - -	6	315
	8	387
Diaphania nitidalis Cramer - - - - -	4	191
Diarthronomyia hypogaea F. Loew - - - - -	3	140
Diatraea saccharalis Fab. - - - - -	1	34, 35
	3	134
	4	203
	5	273
	7	360
Dichomeris marginellus Fab. - - - - -	4	208
	5	278, 279
Dicyphus minimus Uhler - - - - -	4	186
Diprion simile Hartig - - - - -	5	281
Dissosteira carolina L. - - - - -	4	153
Draeculacephala mollipes Say - - - - -	7	347
<u>E</u>		
Ecdytolopha insiticiana Zell. - - - - -	6	326
Echidnophaga gallinacea Westw. - - - - -	1	41
	2	90
	4	220
	5	289
	6	332
	7	371
	8	396
Elaphidian inerme Newm. - - - - -	3	122
Elasmopalpus lignosellus Zell. - - - - -	6	300
Elateridae - - - - -	1	35
	2	48, 52
	3	103, 105
	4	159, 160, 202
	5	232, 260

	<u>No.</u>	<u>Page</u>
Elateridae (contd) - - - - -	6	311
	7	343
	8	380
Eleodes omisca borealis Blaisd. - - -	3	124
Eleodes opaca Say - - - - -	5	164
	7	345
	8	321
Eleodes spp. - - - - -	2	52-53
	3	103
Ellopia fuscicollaria Guenee - - - - -	6	327
	7	364, 365
Empoa rosae L. - - - - -	7	341, 350
Empoasca fabae Harr. - - - - -	5	243, 256
	6	312
Empoasca falve Harr. - - - - -	4	174
Empoasca mali LeB. - - - - -	2	60
	4	136
	5	243, 255, 256
	6	297
	7	350
Empria fragariae Rohwer - - - - -	3	128
Ennomos subsignarius Huebn. - - - - -	4	204, 205
Ergatyrops tityrus Fab. - - - - -	4	209
Ephestia inehniella Zell. - - - - -	6	334
	7	344
Epicaerus cognatus Sharp - - - - -	3	147
Epicaerus imbricatus Say - - - - -	3	128
Epicauta cinerea Forst. - - - - -	5	254
Epicauta lemniscata Fab. - - - - -	5	238, 255, 254
Epicauta maculata Say - - - - -	5	240
Epicauta pennsylvanica DeG. - - - - -	6	311
	7	368
Epicauta spp. - - - - -	5	253
Epicauta vittata Fab. - - - - -	5	240
Epilachna corrupta Muls. - - - - -	2	72, 73
	3	129
	4	189, 190
	5	260, 261
	6	314
	7	356
	8	368
Epinoia nanana Treit. - - - - -	4	211
	5	283
Epitrimerus pyri Nalepa - - - - -	5	245
Epitrix cucumeris Harr. - - - - -	2	55, 74
	3	125, 130
	6	313
Epitrix parvula Fab. - - - - -	2	79
	4	261
	6	244
Erannia tilieria Harr. - - - - -	4	204
Eriocampoides limacina Retz. - - - - -	5	245

	No.	Page
<i>Eriococcus quercus</i> Comst. - - - - -	1-3	137
<i>Eriophyes pyri</i> Pgst. - - - - -	3	115
	5	245
<i>Eriophyes</i> sp. - - - - -	4	212
<i>Eriophyes tristriatus</i> Malepa - - - - -	7	354
<i>Eriosoma americanum</i> Riley - - - - -	4	208
	5	278
<i>Eriosoma lanigerum</i> Hausm. - - - - -	2	49
	3	136
	5	241
	6	305
	8	382
<i>Erythroneura comes</i> Say - - - - -	1	25
	3	119, 120
	4	180, 181
	5	250
	6	309
	7	353
	8	379
<i>Erythroneura tricineta</i> Fitch var.		
<i>cymbium</i> McAtee - - - - -	3	119
	5	250
<i>Erythroneura vulnerata</i> Fitch - - - - -	3	119
<i>Estigmene sacraea</i> Drury (error; should read <i>Apantesis oithona</i> Stkr.) - - - - -	4	199
	5	270, 271
<i>Eucosma</i> sp. - - - - -	1	44
<i>Eutheola rugiceps</i> Lec. (see also <i>Ligyris rugiceps</i>) - - - - -	2	79
	3	133, 134
	4	167, 203
	5	237
<i>Eulecanium nigrofasciatum</i> Perg. - - - - -	5	286
<i>Eulia velutinana</i> Walk. - - - - -	4	172, 173
	6	305
<i>Eumerus strigatus</i> Fallen - - - - -	4	214
	5	263
<i>Euphoria inde</i> L. - - - - -	6	300
<i>Euproctis chrysorrhoea</i> L. - - - - -	2	80
	4	206
	7	361
<i>Eurytus eurytheme</i> Boisd - - - - -	6	302
	7	347
<i>Euschistus servus</i> Say - - - - -	2	69
	8	391
<i>Eustilbus apicalis</i> Melsh. - - - - -	6	316
<i>Eutettix tenellus</i> Baker - - - - -	5	264
	6	316
	7	357
<i>Euthrips citri</i> Moulton - - - - -	1	27
<i>Euthrips tritici</i> Fitch - - - - -	4	215
<i>Euvanessa antiopa</i> L. - - - - -	4	207
	6	326

	No.	Page
<i>Euxoa auxiliaris</i> Grote (see also		
<i>Chorizagrotis auxiliaris</i>) - - - - -	1	15
<i>Euxoa messoria</i> Harr. - - - - -	4	157
<i>Euxoa ochrogaster</i> Guen. - - - - -	4	152
	5	231

F

<i>Feltia annexa</i> Treit. - - - - -	2	69
	3	101
	4	157, 158
<i>Feltia ducens</i> Walker - - - - -	2	67
	3	134
<i>Feltia gladiaria</i> Morr. - - - - -	3	134
<i>Feltia malerida</i> Guen. - - - - -	3	101
	4	157, 158
<i>Feltia subgothica</i> Haw. - - - - -	3	100
<i>Feltia</i> sp. - - - - -	2	67
	4	201
<i>Feltia venerabilis</i> Walk. - - - - -	3	127
<i>Fenusa pumila</i> Klug - - - - -	4	207
	5	276
	7	363
<i>Fidia viticida</i> Walch - - - - -	4	181
	5	381
<i>Forda olivacea</i> Rohwer - - - - -	8	381
<i>Forficula auricularia</i> L. - - - - -	2	91
	4	221
	5	291
	6	333
Formicidae - - - - -	1	41
	3	143, 144
	5	289
<i>Frankliniella fusca</i> Hinds - - - - -	2	78
	4	201
<i>Frankliniella tritici</i> Fitch - - - - -	3	127, 128, 140, 141
	5	249

G

<i>Galerucella cavicollis</i> Lec. - - - - -	4	178
<i>Galerucella luteola</i> Muell. (see also		
<i>Galerucella xanthomelaena</i> Schr.) - - -	1	36
	4	208
<i>Galerucella xanthomelaena</i> Schr. (see also		
<i>Galerucella luteola</i> Muell.) - - - - -	2	81, 82
	3	136
	5	278
	6	325
<i>Galgupha</i> sp. - - - - -	4	160
<i>Gargaphia iridescens</i> Champ. - - - - -	7	360
<i>Gargaphia solani</i> Heid. - - - - -	5	265
<i>Gastrophilus haemorrhoidalis</i> L. - - - - -	6	331

	<u>No.</u>	<u>Page</u>
<i>Gastrophilus intestinalis</i> DeG. - - - - -	1	39
	6	331
	7	370
<i>Gastrophilus nasalis</i> L. - - - - -	6	351
	7	370
<i>Geocoris punctipes</i> Say - - - - -	5	268
<i>Geocica squamosa</i> Hart - - - - -	1	14
	2	103
	8	381
<i>Gillettea cooleyi</i> Gill. - - - - -	5	282
<i>Glyptoscelis squamulata</i> Cr. - - - - -	2	65
<i>Goniocotes hologaster</i> Nitzsch - - - - -	3	143
<i>Goniurus proteus</i> L. - - - - -	3	129
<i>Gossyparia spuria</i> Moeber - - - - -	4	208
	5	277, 278
	6	326
	7	364
<i>Gracilaria azaleacella</i> Meyr. - - - - -	3	138
<i>Graptolitha antennata</i> Walk. - - - - -	4	203, 204
<i>Gryllidae</i> - - - - -	5	290
<i>Gryllotalpa borealis</i> Burm. - - - - -	1	28
	2	69
<i>Gryllotalpa hexadactyla</i> Ferty - - - - -	4	187
<i>Gryllus assimilis</i> Fab. - - - - -	5	230
<i>Gryllus domesticus</i> L. - - - - -	6	333

H

<i>Haematobia irritans</i> L. - - - - -	1	40
	2	86
	3	142
	4	217, 218
	5	287, 288
	6	331, 332
	7	370
	8	395
<i>Haematopinus asini</i> L. - - - - -	1	39, 40
<i>Haematopinus eurysternus</i> Nitzsch - - - - -	2	87
<i>Haematopinus suis</i> L. - - - - -	1	40
<i>Haematosiphon inodorus</i> Duges - - - - -	5	289
	6	332
<i>Haltica chalybea</i> Ill. - - - - -	2	49, 64
	3	120
<i>Haltica ignita</i> Ill. - - - - -	8	394
<i>Halticus citri</i> Ashm. - - - - -	3	124, 125
	4	213
<i>Hamamelistes spinosus</i> Shim. - - - - -	4	207
<i>Harmolita grandis</i> Riley - - - - -	3	103
	4	164
<i>Harmolita tritici</i> Fitch - - - - -	4	164
	5	234
	6	299, 300
	7	345

	No.	Page
Harmologa fumiferana Clem. - - - - -	2	49
	5	283
Harrisina americana Guer. - - - - -	7	341, 366
	6	309
	7	353
	8	385
Heliothis obsoleta Fab. - - - - -	3	125, 129
	4	164, 185
	5	235, 257, 271
	6	301, 321, 322
	7	341, 346, 354, 359
	8	382, 391
Heliothis virescens Fab. - - - - -	2	79
	3	134
	4	201
	6	324
Heliothrips fasciatus Perg. - - - - -	4	192
	5	268
	7	359
Helix aspersa Muell. - - - - -	6	329
Hellula undalis Fab. - - - - -	2	71
	6	316
	8	387
Hemerocampa leucostigma S. & A. - - - - -	4	203, 275
	6	325
	7	362
Hemerophila pariana Clerck - - - - -	4	172
	5	242
	6	305
	7	349
	8	383
Hemichionaspis aspidistrae Sign. - - - - -	7	367
Hermetia illucens L. - - - - -	8	397
Heterocordylus malinus Reut. - - - - -	3	112
	4	174
Heterodera schachtii Sch. - - - - -	6	316
Hippodamia convergens Guer. - - - - -	4	167
Hoplia callipyge Lec. - - - - -	3	120, 121
Hyalopterus arundinis Fab. - - - - -	2	63
Hylemyia antiqua Meig. - - - - -	3	130
	4	193
	5	263, 264
Hylemyia brassicae Bouche' - - - - -	2	69, 74
	3	126
	4	187, 188, 194
	5	258, 265
	6	300
Hylemyia cerealis Gill. - - - - -	6	
Hylemyia cilicrura Rond. (see also		
Hylemyia fusciceps Zett. and Phorbia		
fusciceps)-	2	62
	3	105, 129
	4	184
	5	254
	6	311

	<u>No.</u>	<u>Page</u>
Hylemyia fusciceps Zett. (see also Phorbia fusciceps and Hylemyia cilicrura Rond.)	4	184
Hypera punctata Fab. - - - - -	2	56
	3	107
	4	168
	5	239
Hyphantria cunea Drury - - - - -	4	182, 203
	5	276
	6	306, 309, 325
	7	349, 363
Hypoderma bovis DeG. - - - - -	2	49
	3	142
	4	219
	6	332
Hypoderma lineatum DeWill. - - - - -	1	40
	2	87
	3	142
	4	219
	8	396
Hyponomeuta malinellus Zell. - - - - -	4	171
Hypsopygia costalis Fab. - - - - -	5	239
Hysteroneura setariae Thomas - - - - -	1	25
	2	63, 64
	3	118
	5	249

I

Icerya purchasi Mask. - - - - -	3	139
	5	274
	7	367
Illinoia pisi Kalt. - - - - -	1	30
	2	73
	3	105, 106, 130
	4	167, 190
	5	261
Illinoia solanifolii Ashm. - - - - -	3	141
	5	256
	6	312
Ips avulsus Eichh. - - - - -	1	37
Ips calligraphus Germ. - - - - -	1	37
Ips grandicollis Eichh. - - - - -	1	37
Ips spp. - - - - -	1	36, 37
Iridomyrmex humilis Mayr - - - - -	2	91
Isosoma orchidearum Westw. - - - - -	4	214
Isotoma quadrioculata Tullberg - - - - -	4	185
Ithycerus noveboracensis Forst. - - - - -	3	117
	4	176

J

Jassidae - - - - -	7	347, 348
Jonthonota (Cassidea) nigripes Oliv. - - -	4	194
	5	265

K

Kaliotenus ulmi Sund. - - - - -	4	207, 208
Kermes sp. - - - - -	3	137
	3	280, 281

L

Lachnus viminalis Boyer - - - - -	1	38
Lagoa crispata Pack. - - - - -	2	36
Lampra spp. - - - - -	3	120
	3	189
Laphygma exigua Hbn. - - - - -	4	200
Laphygma frugiperda S. & A. - - - - -	5	232
	5	303
	5	347
	5	382
Lasioderma serricornis Fab. - - - - -	6	202
	6	397
Lasius niger L. - - - - -	5	291
Laspeyresia interstinctana Clem. - - - - -	6	107
	6	239
Laspeyresia molesta Busck - - - - -	7	24
	7	63
	7	117
	7	177
	7	246, 247
	7	307
	7	352
	7	384
Laspeyresia prunivora Walsh - - - - -	7	174
	7	348
Lathrolestes mactans Fab. - - - - -	5	287
Lecanodiaspis celtidis Ckll. - - - - -	3	392
Lecanium corni Bouche' - - - - -	2	82
	3	119
	3	279
Lecanium quercifex Fitch - - - - -	3	137
	3	280
Lepidosaphes bockii Newm. - - - - -	3	123
Lepidosaphes gloverii Pack. - - - - -	3	123
Lepidosaphes ulmi L. - - - - -	3	113, 114, 140
	4	175, 205, 214
	5	244
	5	367
Leptinotarsa decemlineata Say - - - - -	1	28, 29
	2	69, 70
	3	125
	4	185, 186
	5	255
	6	297, 311, 312
	7	341

	No.	Page
<i>Leptocoris trivittatus</i> Say - - - - -	1	36
	2	91
	4	207
	5	277
	7	364
	8	392
<i>Leptoglossus phyllopus</i> L. - - - - -	5	257
<i>Ligyris gibbosus</i> DeG. - - - - -	5	257
<i>Ligyris rugiceps</i> Lec. (see also <i>Euthecla rugiceps</i>) - - - - -	2	79
<i>Limonius agonus</i> Say - - - - -	4	160, 202
<i>Limonius</i> sp. - - - - -	2	52
<i>Lina interrupta</i> Fab. - - - - -	3	138
<i>Lina scripta</i> Fab. - - - - -	3	138
<i>Linognathus pedalis</i> Osborn - - - - -	2	89
<i>Linognathus steropsis</i> Burm. - - - - -	2	89
	4	219
<i>Linognathus vituli</i> L. - - - - -	2	87
<i>Lipeurus heterographus</i> Nitzsch - - - - -	2	89
	3	143
	4	219
<i>Lissorhoptrus simplex</i> Say - - - - -	1	34
<i>Listroderes apicalis</i> Waterh. - - - - -	5	257
<i>Listroderes obliquus</i> Gyll. (see also <i>Desiantha nociva</i> Lea) - - - - -	4	187
	5	256, 257
	6	313
<i>Listroderes</i> sp. - - - - -	4	187
<i>Listronotus latiusculus</i> Boh. - - - - -	5	265
	6	316, 317
	7	357
<i>Locustidae</i> - - - - -	3	98
	4	153
	5	229
<i>Lopidea</i> sp. - - - - -	5	286
<i>Loxostege commixtalis</i> Walk. - - - - -	5	272
<i>Loxostege similalis</i> Guen. - - - - -	2	56
	4	194
	5	269
	7	347
<i>Loxostege sticticalis</i> L. - - - - -	4	194
	7	356, 357
<i>Lucilia caesar</i> L. - - - - -	6	332
<i>Lucilia sericata</i> Meig. - - - - -	4	218
	6	332
<i>Lucilia</i> spp. - - - - -	7	371
<i>Ludius aereipennis</i> Kirby - - - - -	4	153
<i>Luperodes brunneus</i> Crotch - - - - -	5	269
<i>Luperodes davisii</i> Leng - - - - -	5	268
<i>Luperodes varicornis</i> Lec. - - - - -	5	268, 269
<i>Lycophotia margaritosa</i> Haw. - - - - -	5	232
<i>Lycophotia margaritosa saucia</i> Hbn. - - - - -	6	303
<i>Lyctus planicollis</i> Lec. - - - - -	4	221

No.

Page

<i>Lygaeonematus erichsoni</i> Hart. - - - - -	6	
<i>Lygidea mordax</i> Goebl. - - - - -	3	297
<i>Lygus caryae</i> Kegt. - - - - -	4	112
<i>Lygus communis</i> Emighi - - - - -	5	153
<i>Lygus elicus</i> Van D. - - - - -	7	245
<i>Lygus invidus</i> Say - - - - -	3	359
	5	115
<i>Lygus pratensis</i> L. - - - - -	1	245
	2	24,28
	3	50,60
	4	112,113
	5	189
	6	243,247
	7	321
<i>Lygus quercalba</i> Kegt. - - - - -	4	347
<i>Lytta nuttalli</i> Say - - - - -	5	153
		228

M

<i>Macroductylus subopinosus</i> Fab. - - - - -	3	
	4	143
	5	153,179,180,220
<i>Macronoctua onusta</i> Grote - - - - -	2	250,264
	3	84
	6	140
<i>Macropsylla simillima</i> Rohrer - - - - -	4	370
<i>Macrosiphum grenarium</i> Kirby - - - - -	1	214
<i>Macrosiphum illinoensis</i> Shann. - - - - -	4	14
	7	100
<i>Macrosiphum roseo</i> L. - - - - -	2	353
<i>Macrosiphum taraxaci</i> Kalt. - - - - -	1	84
<i>Malacosoma americana</i> Fab. - - - - -	1	28
	2	21,22
	3	49,59
	4	111,112
	5	153,173
	7	243
<i>Malacosoma californica</i> Pack. - - - - -	2	349
<i>Malacosoma disstria</i> Fbn. - - - - -	5	83
	8	275
<i>Manestra picta</i> Harr. - - - - -	4	379
<i>Mecynus inornata</i> Say - - - - -	4	213
<i>Megachile portbrevis</i> Cresson - - - - -	5	216
<i>Megachile</i> sp. - - - - -	7	214
<i>Megilla fuscilabris</i> Muls. - - - - -	4	369
<i>Melalopha inclusa</i> Fbn. - - - - -	6	167
<i>Melanoplus atlantis</i> Riley - - - - -	4	328
	5	154,155
<i>Melanoplus bivittatus</i> Say - - - - -	4	230
<i>Melanoplus differentialis</i> Thos. - - - - -	2	155
	5	50
	6	230
	7	253
		342

	<u>No.</u>	<u>Page</u>
Melanoplus femur-rubrum DeGeer - - - -	5	229
	6	297
	7	342
Melanoplus ponderosus Scudd. - - - -	2	50
Melanoplus propinquus McNeill - - - -	4	153
Melanotus fissilis Say - - - - -	4	160
Melanotus sp. - - - - -	1	29,35
Melittia satyriniformis Hbn. - - - -	5	263
	6	315
Meloidae - - - - -	4	169,186
	5	253,254
	6	303,311,330
Melophagus ovinus L. - - - - -	2	88
Menopon biserialatum Piaget - - - - -	2	90
	3	143
	7	371
Menopon pallidum Nitzsch - - - - -	3	143
Meromyza americana Fitch - - - - -	4	163
	5	233,234
Metachroma interruptum Say - - - - -	6	304
Metachroma pallidum Say - - - - -	3	122
Metriona bicolor Fab. - - - - -	2	70
Metriona (Coptocycla) bivittata Say - -	4	194
	5	265
Metriona bivittata Say - - - - -	2	70
Microbracon cephi Boh. - - - - -	8	379
Microsiphoniella sanborni Gill. - - - -	7	368
Mineola indiginella Zell. - - - - -	3	111
	7	348
Mineola vaccinii Riley - - - - -	6	309
Miris dolabratus L. - - - - -	4	163
Monarthropalpus buxi Labou - - - - -	3	139
Monocrepidius lividus DeG. - - - - -	1	35
Monomorium destructor Jer. - - - - -	5	272
Monomorium pharaonis L. - - - - -	6	334
Monophadnoides rubi Harris - - - - -	4	179
Monoptilota pergratialis Hlst. - - - -	4	190
Mordvilkoja vagabunda Walsh - - - - -	7	341
Murgantia histrionica Hahn - - - - -	1	32
	2	70,71
	3	126,127
	5	259
	6	313
	7	355,356
Musca domestica L. - - - - -	2	85
	3	144
	4	216,218
	5	290
	6	332
	7	341,371,373
Muscina pascuorum Meig. - - - - -	1	43
Muscina stabulans Fall. - - - - -	6	332

	No.	Page
<i>Myiabris oblectus</i> Say - - - - -	3	145
	7	374
	8	397
<i>Myiabris quadrimaculatus</i> Fab. - - -	3	145
<i>Myochrous denticollis</i> Say - - - - -	3	104, 105
<i>Myriapoda</i> - - - - -	3	124
	4	192
<i>Myrmica brevinodis</i> Emery - - - - -	3	144
<i>Myrocallis ulmifolii</i> Monell - - - - -	3	176
<i>Myzus cerasi</i> Fab. - - - - -	3	117, 118
	4	178
	5	248
<i>Myzus mahaleb</i> Fons. - - - - -	5	249
<i>Myzus persicae</i> Sulz. - - - - -	2	61, 62, 75
	3	115, 116, 134
	4	177
	5	246, 257, 258
	6	312
<i>Myzus ribis</i> L. - - - - -	2	65
	3	121
	4	181
	5	251

N

<i>Nematode</i> - - - - -	4	191, 192
<i>Nematus erichsonii</i> Hartig - - - - -	2	49
<i>Neodiprion pinetum</i> Norton - - - - -	4	210
<i>Neolecanium cornuparvum</i> Thos. - - - - -	5	236
<i>Neoprociphilus aceris</i> Monell - - - - -	4	209
<i>Nephelodes minians</i> Guen. - - - - -	3	100
	4	158
<i>Nezara hilaris</i> Say - - - - -	7	352
<i>Nezara viridula</i> L. - - - - -	2	69
	3	126
	4	192
	5	257
<i>Nectua c-nigrum</i> L. - - - - -	3	99, 100
<i>Noctua fonnica</i> Tausch. - - - - -	3	99
<i>Noctuidae</i> - - - - -	1	26, 28
	2	52, 64, 67, 78
	3	99, 100, 101, 133, 134
	4	152, 153, 156, 157, 158
	5	227, 231
	6	296
	7	343
<i>Neodonota puncticollis</i> Say - - - - -	5	245
<i>Nomius pygmaeus</i> Dej. - - - - -	7	372
<i>Nomophila noctuella</i> Schif. - - - - -	5	239
<i>Notolophus antiqua</i> L. - - - - -	2	57
<i>Nyzius ericae</i> Schill. - - - - -	4	167
	5	228

	No.	Page
O		
Oberon bimaculata Oliv. - - - - -	-1	25
Oecanthus latipennis Riley - - - - -	-3	117
Oecanthus nigriscoris Walk. - - - - -	-8	385
Oecanthus niveus DeG. - - - - -	-1	23
Oestrus ovis L. - - - - -	-5	289
Olethreutes abietana Fern. - - - - -	-4	211
Oligia fractilinea Grote - - - - -	-5	157
Orchestes pallicornis Say - - - - -	-3	114
	6	304
Ornithodoros megnini Dugès - - - - -	-2	83
	4	219
Orphulella pelidna Burm. - - - - -	-4	153
	5	230
Orthezia insignis Doug. - - - - -	-3	140
Oryzaophilus surinamensis L. - - - - -	-7	374
Oscinis spp. - - - - -	-4	164
Oxyptilus periscelidactylus Fitch - - - - -	-4	180
	5	250

P

Pachypsylla celtidis-mamma Riley - - - - -	-6	326
	8	392
Paleacrita vernata Peck - - - - -	-2	59
	3	153
	4	173, 174
	5	243
Pantomorus fulleri Horn - - - - -	-5	284
	7	351
Papaipema nebris nitela Guen. - - - - -	-4	164, 165, 186, 215
	5	236
	6	312, 313
Paraclemensia acerifoliella Fitch - - - - -	-4	208
	5	227
	6	297
Parasetigena segregata Rond. - - - - -	-5	275
Paratetranychus pilosus C. & F. - - - - -	-1	23
	2	48, 61
	3	114, 115, 118
	4	175
	5	244, 245
	6	295, 306
	7	351
	8	334
Parlatoria blanchardi Targ. - - - - -	-3	385, 386
Pectinochera gossypiella Saund. - - - - -	-3	146
Pegomya cerealis Gillette - - - - -	-5	163
Pegomya hyoscyami Panz. - - - - -	-3	171
	4	194
	5	265

	No.	Page
<i>Pegomya vicina</i> Lint. - - - - -	4	194
<i>Pelidnota punctata</i> L. - - - - -	6	309
<i>Pemphigus betae</i> Doane - - - - -	7	357
<i>Peranabrus scabricollis</i> Thom. - - - - -	3	98
<i>Peridroma margaritosa</i> Haw. (see also <i>P.</i> <i>saucia</i> Hbn. and <i>Lycophotia margaritosa</i>) -	2 3	70 232
<i>Peridroma saucia</i> Hbn. (see also <i>Peridroma</i> <i>margaritosa</i> Haw. and <i>Lycophotia</i> <i>margaritosa</i>) - - - - -	2	67
<i>Periplyllus negundinis</i> Thos. - - - - -	3 4 5	135, 136 207 277
<i>Pterinea minuta</i> Rob. - - - - -	2	65
<i>Phaletas californicus</i> Mann. - - - - -	5 8	253, 260 380
<i>Phenacoccus acericola</i> King - - - - -	5	280
<i>Philopodon plagiatus</i> Schall. - - - - -	3	146, 147
<i>Phloeotribus liminaris</i> Harr. - - - - -	7	352
<i>Phlyctenia rubigalis</i> Hbn. - - - - -	1 2 4	32 85 213
<i>Phorbia brassicae</i> Bouche! (see also <i>Hylemyia brassicae</i>) - - - - -	2	69
<i>Phorbia fusciceps</i> Zett. (see also <i>Hylemyia fusciceps</i> and <i>Hylemyia</i> <i>cilicrura</i> Rond. - - - - -	2 4	68, 69 184
<i>Phorbia planipalpis</i> Stein - - - - -	2	69
<i>Phorbia rubivora</i> Coq. - - - - -	4	179
<i>Phormia regina</i> Meig. - - - - -	2 4 6 7 8	88 218 332 371 396
<i>Phormia terrae-novae</i> Desv. - - - - -	4 6	218 332
<i>Phoredon humuli</i> Schrank - - - - -	5	265
<i>Phryganidea californica</i> Packard - - - - -	3 7	137 365
<i>Pithecanassa operculella</i> Zell. - - - - -	5 8	273 326
<i>Phyllocoptes quadripes</i> Shim. - - - - -	4 5	209 280
<i>Phyllophaga cribrata</i> Lec. - - - - -	2 4 5	52 156 231
<i>Phyllophaga imposita</i> Horn - - - - -	2	52
<i>Phyllophaga inversa</i> Horn - - - - -	4	155
<i>Phyllophaga lanceolata</i> Say - - - - -	4 5 6	156 260 300

<i>Phyllophaga micans</i> Knoch - - - - -	1	11
	3	122
<i>Phyllophaga</i> spp. - - - - -	41	11, 26, 30
	2	51, 52, 72
	3	93, 99, 134, 135, 137, 142
	4	155, 156
	5	220, 227, 231, 239
	6	314, 316
	7	342, 343, 357
<i>Phyllotreta armoraciae</i> Koch - - - - -	2	75
	6	317
<i>Phyllotreta vittata</i> Fab. - - - - -	3	127
	4	188
<i>Phylloxera caryaecaulis</i> Fitch - - - - -	4	182
<i>Phylloxera caryaefolia</i> Riley - - - - -	4	182
<i>Phylloxera carya-avellana</i> Riley - - - - -	4	203
<i>Phylloxera notabilis</i> Perg. - - - - -	5	182
<i>Phylloxera perniciosa</i> Perg. - - - - -	4	182
<i>Phytocoris</i> sp. - - - - -	7	360
<i>Phytomyza aquilegiae</i> Hardy - - - - -	3	139
	4	213
<i>Phytomyza ilicis</i> Curtis - - - - -	3	140
<i>Phytonomus nigrirostris</i> Fab. - - - - -	3	107
	4	168
	5	239
<i>Phytonomus posticus</i> Gyll. - - - - -	1	18, 19, 20
	3	106
	4	168
	5	233
<i>Phytophaga destructor</i> Say - - - - -	1	11, 12
	2	53, 54
	3	102, 103
	4	162, 163
	5	233
	6	296, 298, 299
	7	343, 344, 345
	8	380, 381
<i>Pieris rapae</i> L. (see also <i>Pontia rapae</i>) - - - - -	5	258
	6	313
	7	355
	8	386
<i>Pieris protodice</i> Boisd. - - - - -	8	386
<i>Pissodes strohi</i> Peck - - - - -	5	231
<i>Platthypena scabra</i> Fab. - - - - -	6	304
<i>Platygaster hiemalis</i> Forbes - - - - -	2	53
<i>Plodia interpunctella</i> Huebn. - - - - -	1	43
	7	374
	8	397
<i>Podosesia fraxini</i> Lugger - - - - -	2	84
<i>Podosesia syringae</i> Harr. - - - - -	5	285
<i>Polia renigera</i> Stephens - - - - -	3	134
<i>Polychrosis viteana</i> Clem. - - - - -	5	251
<i>Polyphylla decemlineata</i> Say - - - - -	6	296

	<u>No.</u>	<u>Page</u>
Fontia rapae L. (see also Pieris rapae).	1	31
	2	71
Forcellio sp.	1	30
Porosagrotis orthogonia Morr.	2	52
	3	101
	4	156
Porthetria dispar L.	2	49, 80
	3	135
	4	206
	5	274, 275
	7	361
Prionomerus calceatus Say	7	366
Prionus fissicornis Hald.	6	317
Prodenia ornithogalli Guen.	4	193
	6	302
	8	392
Prodenia praeifica Grote	4	200
	6	302
Proteopteryx bolliana Sling.	4	182
Protoparce quinquemaculata Haw.	4	201
	5	255
	6	313, 354
Protoparce sexta Joh.	2	79
	5	257, 273
	7	354
Psallus seriatus Reut.	5	269, 270
	6	320, 321
	8	392
Pseudanaphora arcanella Clem.	4	169
Pseudaonidia duplex Gkll.	2	80, 81
	3	136
Pseudococcus calceolariae Mask.	6	362
Pseudococcus citri Risso	1	38
	3	123
	5	284
	7	362
Pseudococcus gahani Green	3	123
Pseudococcus maritimus Ehr.	3	147
Pseudococcus sp.	4	213
Pseudococcus virgatus Gkll.	6	360
Psila rosae Fab.	1	30
Psylla pyricola Foerst.	2	61
	3	97, 115
	4	173, 176
	7	251
Pteronidea ribesi Scop.	3	121
	4	181
	5	827, 252
Ptychodes trilineatus L.	1	27
	2	66
	5	253
Fulex irritans L.	5	287
	7	372
Fulvinaria amygdali Gkll.	5	215

	No.	Page
Fulvinaria iceryi Guer. - - - - -	6	324
Fulvinaria innumerabilis Rathv. (see also		
Fulvinaria vitis L. - - - - -	5	279
	6	327
	7	365
Fulvinaria sp. - - - - -	3	118
Fulvinaria vitis L. (see also		
Fulvinaria innumerabilis Rathv.) - - -	4	209, 210
Pycnoscelus surinamensis L. - - - - -	3	141
Pyralis farinalis Comst. - - - - -	1	43
Dyrausta nubilalis Huebn. - - - - -	1	17
	2	48, 55
	3	146
	8	379

R.

Reduviidae - - - - -	6	331
Reticulitermes flavipes Kol. - - - - -	3	144
Reticulitermes sp. - - - - -	5	289
	6	319, 335
	7	372
	8	396
Reticulitermes tibialis Banks - - - - -	1	42
	3	144
	4	221
	6	329
Reticulitermes virginicus Banks - - - - -	2	90
Rhagoletis cingulata Loew - - - - -	5	248
Rhagoletis fausta O. S. - - - - -	4	178
	5	248
Rhagoletis pomonella Walsh - - - - -	1	22
	5	243
	7	349
	8	383
Rhizoglyphus hyacinthi Boisd. - - - - -	5	285
(Rhodites) Diplolepis rosae L. - - - - -	7	369
Rhodobaenus tredecimpunctatus Ill. - - -	7	368
Rhopalosiphum prunifoliae Fitch - - - - -	1	14, 21
	2	57, 58
	3	109
	4	170
	5	241
Rhopalosiphum pseudobrassicae Davis - - -	2	75
	7	355
	8	386
Rhopobeta naevana Huebn. - - - - -	4	181
	5	252
Rhyacionia buoliana Schiff. - - - - -	7	379
Rhyacionia frustrana Comst. - - - - -	1	37
	3	137
Rhynchites bicolor Fab. - - - - -	5	286

	No.	Page
<i>Homalea microptera</i> Beauv. - - - - -	2	51
	3	93
<i>Rynchagrotis cupida</i> Grote - - - - -	3	99

S

<i>Saccharasydne</i> (Delphax) <i>saccharivora</i> Westw. - - - - -	5	273, 274
<i>Saissetia hemisphaerica</i> Targ. - - - - -	3	39
<i>Saperda calcarata</i> Say - - - - -	6	323
<i>Saperda candida</i> Fab. - - - - -	3	114
	5	244
<i>Saperda tridentata</i> Oliv. - - - - -	3	135
	6	325
<i>Sarcophaga kellyi</i> Ald. - - - - -	5	229
<i>Sarcophaga</i> spp. - - - - -	6	332
<i>Scaptomyza vicinus</i> Scudd. - - - - -	1	38
	3	124
	6	311
<i>Scaptomyza terminalis</i> Loew - - - - -	4	189
<i>Schistocerus hamatus</i> Fab. - - - - -	3	120
<i>Schizura concinna</i> S. & A. - - - - -	6	308
	7	349
	8	385, 393
<i>Sciara inconstans</i> Fab. - - - - -	1	38
<i>Scirtothrips citri</i> Moulton. - - - - -	4	183
<i>Scolytus rugulosus</i> Ratz. - - - - -	2	62
	3	118
	4	177
	5	248
	6	307
	7	352
	8	385
<i>Scutigerella immaculata</i> Newp. - - - - -	3	145
<i>Serica sericea</i> Ill. - - - - -	4	179
<i>Serica</i> sp. - - - - -	1	22
<i>Simulium</i> spp. - - - - -	3	143
	5	227
<i>Sinoxylon sexdentatum</i> Oliv. - - - - -	2	91
<i>Sipha flava</i> Forbes - - - - -	5	273
	7	360
<i>Siphonaptera</i> - - - - -	2	85
	3	142
	5	290
	7	369, 371
<i>Sitona hispidulus</i> Fab. - - - - -	4	169
	5	239
<i>Sitodrepa panicea</i> L. - - - - -	5	291
<i>Sitotroga cerealella</i> Cl. - - - - -	3	145
	6	334
	7	374
<i>Sminthurus hortensis</i> Fitch - - - - -	4	185
<i>Smytharus</i> sp. - - - - -	3	150
<i>Solubea pugnax</i> Fab. - - - - -	1	34
	2	79

No.

Page

Sphenophorus spp. (see also Calendra		
spp. -	3	105
Sphenophorus zeae Walsh - - - - -	3	105
Spilonota ocellana D. & S. - - - - -	3	111
Staphylinidae - - - - -	2	66
Stephanitis rhododendri Horv. - - - - -	1	215
	5	286
Sterictophora ebena Norton - - - - -	1	194
Stilbus apicolis Melsh. - - - - -	5	264
Stizpnotia salicis L. - - - - -	7	362
Stomoxys calcitrans L. - - - - -	2	87
	4	213
	5	283
	6	331
	7	370
	8	395
Symmerista albifrons S. & A. - - - - -	7	365
Symphilids - - - - -	4	185
Synanthedon ratilans Hy. Edw. - - - - -	2	72
Synanthedon tipuliformis L. - - - - -	2	65
Syneta albida Lec. - - - - -	2	60, 61
	3	114
	4	178
Systema frontalis Fab. - - - - -	6	315
Systema pallicornis Schiff. - - - - -	77	353, 356
Systema taeniata blanda Melsh. - - - - -	5	255, 261, 264
Systema taeniata Say - - - - -	4	166, 184, 185

T

Tabanus rubescens Bellardi - - - - -	2	88
	4	217
	8	395
Tabanus spp. - - - - -	4	217
Tachypterellus quadrigibbus Say - - - - -	4	175
Teniothrips inconsequens Uzel - - - - -	2	61
	3	115
Tarsonemus pallidus Banks - - - - -	2	84
	7	368
Tenebrionidae - - - - -	3	124
Tenebroides mauritanicus L. - - - - -	3	397
Tetraleurodes urgorum Jkll. - - - - -	7	368
Tetranychus bimaculatus Harvey - - - - -	4	212
	5	284
	6	326
	8	394
Tetranychus citri McGregor (error; should be Paratetranychus citri) - - - - -	4	182
Tetranychus spp. - - - - -	3	117, 123, 135
	5	233, 234
	6	338, 309

	No.	Page
<i>Tetranychus telarius</i> L. - - - - -	2	56, 57
	3	138
	4	190, 199, 205, 206, 207, 212, 214
	5	249, 251, 252, 270, 282
	6	296, 309, 310, 311, 321
	7	363
	8	391
<i>Thera contractata</i> Pack. - - - - -	5	278
<i>Thrips</i> sp. - - - - -	4	213
	5	238, 239, 285
<i>Thrips tabaci</i> Lind. - - - - -	1	32
	3	130, 138
	4	188, 191, 193
	5	262, 264
	6	316
	7	357
<i>Thyanta custator</i> Fab. - - - - -	7	372
<i>Thyridopteryx ephemeraeformis</i> Haw. - - -	1	35, 36
	2	80
	3	135
	4	204
	5	275, 276, 280
	6	324, 325
	7	363
	8	394
<i>Thysanoptera</i> - - - - -	5	267
	6	321
<i>Tibicen auletes</i> Germ. - - - - -	4	205
<i>Tibicen olympusa</i> Walk. - - - - -	7	354
<i>Tibicen pruinosa</i> Say - - - - -	4	205
<i>Tibicen sayi</i> S. & G. - - - - -	4	205
<i>Tibicen vitripennis</i> Say - - - - -	4	205
	5	274
<i>Tibicina septendecim</i> L. - - - - -	4	205, 206
	5	274
<i>Tinea pellionella</i> L. - - - - -	1	41
<i>Tingids</i> - - - - -	3	135
<i>Tipulidae</i> - - - - -	4	202
<i>Tmetocera ocellana</i> D. & S. - - - - -	2	59
	5	242
	7	349
<i>Tosastes cinerascens</i> Pierce - - - - -	2	56
<i>Toumeyella liriodendri</i> Gmel. - - - - -	3	138
	5	283
	6	328
<i>Toxoptera aurantiae</i> Koch - - - - -	1	27
<i>Toxoptera graminum</i> Rond. - - - - -	1	13, 14
	2	55
<i>Trachelus tabidus</i> Fab. - - - - -	1	15, 16, 17
<i>Trachykele blondeli</i> Mars. - - - - -	2	49
<i>Triatoma sanguisuga</i> Lec. - - - - -	4	217
<i>Trichiotinus piger</i> Fab. - - - - -	4	215
<i>Trichobaris</i> sp. - - - - -	4	202
<i>Trichodectes climax</i> Nitzsch - - - - -	2	89
	4	219

	<u>No.</u>	<u>Page</u>
Trichodectes hermsi Kellogg - - - - -	2	89
	4	219
Trichodectes scalaris Nitzsch - - - - -	1	40
	2	87
Trimerotropis citrina Scudd. - - - - -	4	154
Trimerotropis sp. - - - - -	5	230
Trioza diospyri Ashm. - - - - -	3	123
	4	183
Trioza tripunctata Fitch - - - - -	7	352, 353
Trombicula irritans Riley - - - - -	4	216
	5	287
Tyloclerum fragariae Riley - - - - -	1	29, 30
	2	72
Tyroglyphus lintneri Osb. - - - - -	2	91
<u>U</u>		
Uranotes melinus Hüb. - - - - -	4	199
	5	270
<u>V</u>		
Vanessa cardui L. - - - - -	2	68
	4	184
Vespula communis DeS. - - - - -	6	330
<u>X</u>		
Xylina antennata Walker - - - - -	4	203, 204
Xylina spp. - - - - -	3	140
	4	172
Xylobiops basilaris Say - - - - -	7	354
Xylocopa virginica Drury - - - - -	6	333
Xylocruius agassizi Lec. - - - - -	2	65
Xylomyges eridania Cram. - - - - -	5	237
<u>Z</u>		
Zeuzera pyrina L. - - - - -	2	59
Zinkenella (Hymenia) fascialis Cramer - - -	3	388
Zugophora scutellaris Suff. - - - - -	8	393
Zygogramma exclamationis Fab. - - - - -	5	227

COMMON NAME INDEX

A

See

Alfalfa caterpillar a.n.o. - - - - -	-Eurymus eurytheme Boisd.
Alfalfa looper a.n.o. - - - - -	--Autographa californica Speyer
Alfalfa webworm - - - - -	--Loxostege commixtalis Walk.
Alfalfa weevil a.n.o. - - - - -	-Phytonomus posticus Gyll.
American dog tick - - - - -	-Dermacentor variabilis Say
Angoumois grain moth a.n.o. - - - - -	--Sitotroga cerealella Cl.
Anomala - - - - -	--Anomala orientalis Waterh.
Ants - - - - -	-Formicidae
Apple and thorn skeletonizer - - - - -	--Hemerophila pariana Clerck
Apple aphid a.n.o. - - - - -	--Aphis pomi DeG.
Apple curculio a.n.o. - - - - -	-Tachypterellus quadrigibbus Say
Apple flea weevil - - - - -	-Orchestes pallicornis Say
Apple fruit chafer - - - - -	--Metachroma interruptum Say
Apple leafhopper a.n.o. - - - - -	-Empoasca mali LeB.
Apple maggot a.n.o. - - - - -	-Rhagoletis pomonella Walsh
Apple red bug - - - - -	-Heterocordylus malinus Reut.
Apple twig borer a.n.o. - - - - -	-Amphicercus bicaudatus Say
Arborvitae leaf miner a.n.o. - - - - -	-Argyresthia thuiella Pack.
Argentine ant a.n.o. - - - - -	-Iridomyrmex humilis Mayr
Army cutworm a. n. o. - - - - -	-Euxoa auxiliaris Grote
Armyworm a.n.o. - - - - -	-Cirphis unipuncta Haw.
Ash borer - - - - -	-Podosesia fraxini Lugger
Asparagus beetle a.n.o. - - - - -	-Crioceris asparagi L.
Australian tomato weevil - - - - -	-Listroderes obliquus Gyll. (formerly known as Desiantha nociva Lea)
Azalea leaf miner - - - - -	-Gracilaria azaleaella Meyr.

B

Bagworm a.n.o. - - - - -	--Thyridopteryx ephemeraeformis Haw.
Banded flea beetle a.n.o. - - - - -	--Systema taeniata Say
Bark beetles - - - - -	-Ips spp.
Bean aphid - - - - -	-Aphis rumicis L.
Bean leaf beetle a.n.o. - - - - -	-Cerotoma trifurcata Foerst.
Bean leaf roller a.n.o. - - - - -	-Goniuris proteus L.
Bean thrips - - - - -	-Heliothrips fasciatus Perg.
Bean weevil a.n.o. - - - - -	-Mylabris obtectus Say
Bedbug a.n.o. - - - - -	-Cimex lectularis L.
Beet armyworm a.n.o. - - - - -	-Laphygma exigua Huebn.
Beet root aphid - - - - -	-Pemphigus betae Deane
Beet webworm a.n.o. - - - - -	-Loxostege sticticalis L.
Billbugs - - - - -	-Sphenophorus spp.
Birch leaf miner - - - - -	-Fenusa pumila Klug
Birch leaf skeletonizer - - - - -	--Bucculatrix canadensisella Cham.
Blackberry psyllid - - - - -	-Trioza tripunctata Fitch
Black blister beetle a.n.o. - - - - -	-Epicauta pennsylvanica DeG.
Black blow fly - - - - -	-Phormia regina Meig.
Black cephid - - - - -	-Trachelus tabidus Fab.
Black cherry aphid a.n.o. - - - - -	-Myzus cerasi Fab.

See

Black chrysanthemum aphid - - - - -	-Microsiphoniella sanborni Gill.
Black citrus aphid - - - - -	-Toxoptera aurantiae Koch
Black flies - - - - -	-Simulium spp.
Black gooseberry borer - - - - -	-Xylocrius agassizi Lec.
Black-headed fireworm a.n.o. - - - - -	-Rhopobota naevana Huebn.
Black peach aphid a.n.o. - - - - -	-Anuraphis persicae-niger Smith
Bladder maple gall - - - - -	-Phyllocoptes quadripes Shim.
Blister beetles - - - - -	-Meloidae
Blood-sucking conenose - - - - -	-Triatoma sanguisuga Lec.
Blossom anomala - - - - -	-Anomala undulata Mels.
Blue bottle fly - - - - -	-Calliphora erythrocephala Meig.
Boll weevil a.n.o. - - - - -	-Anthonomus grandis Boh.
Boxelder aphid a.n.o. - - - - -	-Periphyllus negundinis Thos.
Boxelder bug a.n.o. - - - - -	-Leptocoris trivittatus Say
Boxwood leaf miner a.n.o. - - - - -	-Monarthropalpus buxi Labou
Broad-winged tree cricket - - - - -	-Oecanthus latipennis Riley
Bronze birch borer a.n.o. - - - - -	-Agrilus anxius Gory
Brown stink bug - - - - -	-Euschistus servus Say
Brown-tail moth a.n.o. - - - - -	-Euproctis chrysorrhoea L.
Buffalo treehopper a.n.o. - - - - -	-Ceresa bubalus Fab.
Bumble flower beetle - - - - -	-Euphoria inda L.
Bumblebees - - - - -	-Bombus sp.

C

Cabbage aphid a.n.o. - - - - -	-Brevicoryne brassicae L.
Cabbage curculio a.n.o. - - - - -	-Eutiorhynchus rapae Gyll.
Cabbage maggot a.n.o. - - - - -	-Hylemyia brassicae Bouche
Cabbage webworm a.n.o. - - - - -	-Hellula undalis Fab.
Cadelle a.n.o. - - - - -	-Tenebroides mauritanicus L.
California oak worm a.n.o. - - - - -	-Phryganidia californica Packard
Camphor scale - - - - -	-Pseudonidia duplex Ckll.
Canna leaf roller - - - - -	-Calpodes ethlius Cram.
Canyon horse fly - - - - -	-Tabanus rubescens Bellardi
Carabid beetle - - - - -	-Nomius pygmaeus Dej.
Carpenter bee - - - - -	-Xylocopa virginica Drury
Carpet beetle a.n.o. - - - - -	-Anthrenus scrophulariae L.
Carrot beetle a.n.o. - - - - -	-Ligyrus gibbosus DeG.
Carrot rust fly a.n.o. - - - - -	-Psila rosae Fab.
Case-bearing clothes moth a.n.o. - - - - -	-Tinea pellionella L.
Catalpa sphinx a.n.o. - - - - -	-Ceratonia catalpae Boisd.
Cattle louse - - - - -	-Trichodectes scalaris Mitzsch
Cattleya fly - - - - -	-Isosoma orchidearum Westw.
Celery leaf tyer - - - - -	-Phlyctaenia rubigalis Hubn.
Chain-spotted geometer a.n.o. - - - - -	-Cingilia catenaria Drury
Changa a.n.o. - - - - -	-Scapteriscus vicinus Scudd.
Cherry leaf beetle - - - - -	-Galerucella cavicollis Lec.
Chicken fluff louse - - - - -	-Goniocotes hologaster Mitzsch
Chicken head louse - - - - -	-Lipeurus heterographus Mitzsch
Chicken mite - - - - -	-Dermanyssus gallinae Redi
Chiggers - - - - -	-Trombicula irritans Riley
Chinch bug a.n.o. - - - - -	-Blissus leucopterus Say
Chrysanthemum gall midge a.n.o. - - - - -	-Diarthronomyia hypogaea F.Loew
Cigar case bearer a.n.o. - - - - -	-Coleophora fletcherella Fern.

Cigarette beetle a.n.o. - - - - -	-Lasioderma serricorne Fab.
Citrophilus mealybug - - - - -	--Pseudococcus gahani Green
Citrus aphid - - - - -	--Aphis spiraeicola Patch
Citrus blackfly - - - - -	--Aleurocanthus woglumi Ashby
Citrus mealybug - - - - -	--Pseudococcus citri Risso
Citrus whitefly - - - - -	--Dialeurodes citri Ashm.
Clover aphid a.n.o. - - - - -	--Amuraphis bakeri Cowan
Clover hay worm a.n.o. - - - - -	--Hypsopygia costalis Fab.
Clover head caterpillar a.n.o. - - - - -	--Laspeyresia interstinctana Clem.
Clover leaf weevil a.n.o. - - - - -	--Hypera punctata Fab.
Clover mite a.n.o. - - - - -	--Bryobia praetiosa Koch
Clover root curculio - - - - -	--Sitona hispidulus Fab.
Clover seed chalcid a.n.o. - - - - -	--Bruchophagus funebris Howard
Codling moth a.n.o. - - - - -	--Carpocapsa pomonella L.
Colorado potato beetle a.n.o. - - - - -	--Leptinotarsa decemlineata Say
Columbine leaf miner - - - - -	--Phytomyza aquilegiae Hardy
Common goat louse - - - - -	--Trichodectes climax Nitzsch
Common red spider - - - - -	--Tetranychus telarius L.
Corn ear worm a.n.o. - - - - -	--Heliothis obsoleta Fab.
Cornfield ant - - - - -	--Lasius niger L.
Corn leaf aphid - - - - -	--Aphis maidis Fitch
Corn root aphid a.n.o. - - - - -	--Amuraphis maidi-radicis Forbes
Corn root worm a.n.o. - - - - -	--Diabrotica longicornis Say
Corn silk beetle - - - - -	--Iuperodes varicornis Lec.
Cotton flea - - - - -	--Psallus seriatus Reut.
Cotton leaf perforator - - - - -	--Bucculatrix thurberiella Busck
Cotton square borer - - - - -	--Uranotes melinus Hbn.
Cotton worm - - - - -	--Alabama argillacea Hbn.
Cottonwood aphid - - - - -	--Chaitophorus bruneri Williams
Cottonwood leaf beetle - - - - -	--Lina scripta Fab.
Cottonwood leaf miner - - - - -	--Zugophora scutellaris Suff.
Cottonwood scale - - - - -	--Chionaspis ortholobis Comst.
Cottonwood tent caterpillar - - - - -	--Malacosoma californica Pack.
Cottony-cushion scale a.n.o. - - - - -	--Icerya purchasi Mask.
Cottony maple scale a.n.o. - - - - -	--Pulvinaria vitis L.
Cottony peach scale - - - - -	--Pulvinaria amygdali Ckll.
Cranberry flea beetle - - - - -	--Systema pallicornis Schiff.
Cranberry fruit worm a.n.o. - - - - -	--Mineola vaccinii Riley
Cranberry weevil - - - - -	--Anthonomus suturalis Lec.
Crane flies - - - - -	--Tipulidae
Crickets - - - - -	--Gryllidae
Currant aphid a.n.o. - - - - -	--Myzus ribis L.
Currant borer a.n.o. - - - - -	--Synanthedon tipuliformis L.
Cutworms - - - - -	--Noctuidae
Cyclamen mite a.n.o. - - - - -	--Tarsonemus pallidus Banks

D.

Dark cherry fruit fly - - - - -	--Rhagoletis fausta O. S.
Dock false worm - - - - -	--Anotestegia glabrata Fall.
Douglas fir bark beetle - - - - -	--Dendroctonus pseudotsugae Hopk.
Drug-store beetle a.n.o. - - - - -	--Sitodrepa panicea L.

ESee

Eastern field wireworm - - - - -	-Limonius agonus Say
Eastern tent caterpillar a.n.o. - - - - -	-Malacosoma americana Fab.
Eggplant lacebug - - - - -	-Gargaphia solani Heid.
Eight-spotted forester a.n.o. - - - - -	-Alypia octomaculata Fab.
Elm aphid - - - - -	-Myzocallis ulmifolii Monell
Elm borer a.n.o. - - - - -	-Saperda tridentata Oliv.
Elm cockscomb gall - - - - -	-Colopha ulmicola Fitch
Elm leaf beetle a.n.o. - - - - -	-Galerucella xanthomelaena Schr.
Elm leaf miner a.n.o. - - - - -	-Kaliofenusa ulmi Sund. = (Kaliosphinga ulmi)
Elm scurfy scale - - - - -	-Chionaspis americana Johns.
Elm spanworm a.n.o. - - - - -	-Ennomos subsignarius Huebn.
Ermine moth - - - - -	-Hyponomeuta malinellus Zell.
Euonymus scale a.n.o. - - - - -	-Chionaspis euonymi Comst.
European bark louse - - - - -	-Cryptococcus fagi Barrenspr.
European corn borer - - - - -	-Pyrausta nubilalis Huebn.
European earwig - - - - -	-Forficula auricularia L.
European elm scale a.n.o. - - - - -	-Gossyparia spuria Modeer
European fruit lecanium - - - - -	-Lecanium corni Bouche
European red mite - - - - -	-Paratetranychus pilosus C. & F.
European tussock moth - - - - -	-Notolophus antiqua L.
European walnut aphid - - - - -	-Chromaphis juglandicola Kalt.
Evergreen spanworm - - - - -	-Thera contractata Pack.
Eye-spotted budmoth a.n.o. - - - - -	-Spilonota ocellana D. & S.

F

Fall armyworm a.n.o. - - - - -	-Laphygma frugiperda S. & A.
Fall canker worm a.n.o. - - - - -	-Alsophila pometaria Harris
Fall webworm a.n.o. - - - - -	-Hyphantria cunea Drury
False apple red bug - - - - -	-Lygidea mendax Reut.
False tarnished plant bug - - - - -	-Lygus invitus Say
Fern scale - - - - -	-Hemichionaspis aspidistrae Sign.
Fickle midge - - - - -	-Sciara inconstans Fab.
Field cricket a.n.o. - - - - -	-Gryllus assimilis Fab.
Flat-headed apple tree borer a.n.o. - - - - -	-Chrysobothris femorata Oliv.
Fleas - - - - -	-Siphonaptera
Florida red scale a.n.o. - - - - -	-Chrysomphalus aonidium L. = (C. ficus Ashm.)
Flower thrips a.n.o. - - - - -	-Frankliniella tritici Fitch
Foot louse - - - - -	-Jinognathus pedalis Osborn
Foreign grain beetle - - - - -	-Cathartus advena Walt.
Forest tent caterpillar a.n.o. - - - - -	-Malacosoma disstria Hbn.
Fowl tick - - - - -	-Argas miniatus Koch
Fruit tree leaf roller a.n.o. - - - - -	-Cacoecia argyrospila Walk.
Fruit tree leaf syneta - - - - -	-Syneta albida Lec.
Fruit tree serica - - - - -	-Serica sp.
Fuller's rose beetle a.n.o. - - - - -	-Pantomorus fulleri Horn.

G

Garden Fleahopper - - - - -	-Halticus citri Ashm.
Garden slug - - - - -	-Argiolimax agrestis L.
Garden springtail - - - - -	-Sminthurus hortensis Fitch
Garden webworm a.n.o. - - - - -	-Lexostege similalis Guen.

See

Giant skipper - - - - -	-Eupargyreus tityrus Fab.
Gloomy scale a.n.o. - - - - -	-Chrysomphalus tenebriocosus Comst.
Glover's scale a.n.o. - - - - -	-Lepidosaphes gloverii Pack.
Gooseberry midge - - - - -	-Dasyneura grossulariae Fitch
Gouty vein gall - - - - -	-Dasyneura communis Felt.
Granary weevil a.n.o. - - - - -	-Calendra granaria L.
Grape berry moth a.n.o. - - - - -	-Polychrosis viteana Clem.
Grape curculio a.n.o. - - - - -	-Graponius inaequalis Say
Grape flea beetle a.n.o. - - - - -	-Haltica chalybea Ill.
Grape leaf folder a.n.o. - - - - -	-Desmia funeralis Hbn.
Grape leafhopper a.n.o. - - - - -	-Erythroneura comes Say
Grape leaf skeletonizer a.n.o. - - - - -	-Harrisina americana Guer.
Grape plume moth a.n.o. - - - - -	-Oxyptilus periscelidactylus Fitch
Grape root worm a.n.o. - - - - -	-Fidia viticida Walsh
Grape scale a.n.o. - - - - -	-Aspidiotus uvae Comst.
Grape vine aphid a.n.o. - - - - -	-Macrosiphum illinoisensis Shim.
Grapevine hoplia - - - - -	-Hoplia callipyge Leq.
Grasshoppers - - - - -	-Acridiidae
Gray citrus scale - - - - -	-Coccus citricola Champ.
Gray scale - - - - -	-Coccus pseudomagnoliarum Kw.
Great plains false wireworm - - - - -	-Eleodes opaca Say
Green bug - - - - -	-Toxoptera graminum Rond.
Green clover worm a.n.o. - - - - -	-Plathypena scabra Fab.
Green fruit worm a.n. o. - - - - -	-Graptolitha antennata Walk.
Green June beetle a.n.o. - - - - -	-Cotinis nitida L.
Green stinkbug a.n.o. - - - - -	-Nezara hilaris Say = (Acrosternum hilari
Green-striped maple worm - - - - -	-Anisota rubicunda Fab.
Greenhouse leaf tyer a.n.o. - - - - -	-Phlyctaenia rubigalis Guen.
Greenhouse orthezia - - - - -	-Orthezia insignis Doug.
Gypsy moth a.n.o. - - - - -	-Porthetria dispar L.

H

Hackberry leaf gall - - - - -	-Pachypsylla celtidis-mamma Riley
Hairy goat louse - - - - -	-Trichodectes hermsi K. & M.
Harlequin bug a.n.o. - - - - -	-Margantia histrionica Hahn
Hawaiian beet webworm - - - - -	-Ginkenia (Hymenia) fascialis Cramer
Hemispherical scale a.n.o. - - - - -	-Saissetia hemisphaerica Targ.
Honhouse bedbug - - - - -	-Haematosiphon inodorus Duges
Hessian fly a.n.o. - - - - -	-Phytophaga destructor Say
Hide beetle - - - - -	-Dermestes vulpinus Fab.
Hog louse a.n.o. - - - - -	-Haematopinus suis L.
Holly leaf-miner - - - - -	-Phytomyza ilicis Curtis
Hop aphid a.n.o. - - - - -	-Phorodon humuli Schrank
Horn fly a.n.o. - - - - -	-Haematobia irritans L.
Horse botfly a.n.o. - - - - -	-Gastrophilus intestinalis DeG.
Horse flies - - - - -	-Tabanus spp.
Horse louse - - - - -	-Haematopinus asini L.
Horseradish flea beetle a.n.o. - - - - -	-Phyllotreta armoraciae Koch
Hourglass spider - - - - -	-Lathrodectes mactans Fab.
House cricket a.n.o. - - - - -	-Gryllus domesticus L.
House fly a.n.c. - - - - -	-Musca domestica L.
Human flea - - - - -	-Pulex irritans L.

I

Imbricated snout beetle a.n.o. - - - - - *-Epicaerus imbricatus* Say
 Imported cabbage worm a.n.o. - - - - - *-Pieris rapae* L.
 Imported currant worm a.n.o. - - - - - *-Pteronidea ribesi* Scop.
 Indian-meal moth a.n.o. - - - - - *-Plodia interpunctella* Huebn.
 Introduced pine sawfly a.n.o. - - - - - *-Diprion simile* Hartig
 Iris borer a.n.o. - - - - - *-Macronoctua onusta* Grote
 Ivy scale - - - - - *-Aspidiotus hederæ* Vallot

J

Joint worm - - - - - *-Harmolita tritici* Fitch
 Juniper webworm - - - - - *-Dichomeris marginellus* Fab.

K

Larch case bearer a.n.o. - - - - - *-Coleophora laricella* Hubn.
 Larch sawfly a.n.o. - - - - - *-Nematus erichsonii* Hartig
 Larder beetle a.n.o. - - - - - *-Dermestes lardarius* L.
 Large hen louse - - - - - *-Menopon biserialum* Piaget
 Leaf crumbler a.n.o. - - - - - *-Mineola indiginella* Zell.
 Leaf-footed bug a.n.o. - - - - - *-Leptoglossus phyllopus* L.
 Leopard moth a.n.o. - - - - - *-Zeuzera pyrina* L.
 Lesser apple worm a.n.o. - - - - - *-Laspeyresia prunivora* Walsh
 Lesser bulb fly - - - - - *-Eumerus strigatus* Fallen
 Lesser clover-leaf weevil - - - - - *-Phytonomus nigrirostris* Fab.
 Lesser corn stalk borer a.n.o. - - - - - *-Elasmopalpus lignosellus* Zell.
 Lesser peach tree borer - - - - - *-Aegeria pictipes* G. & R.
 Lilac borer a.n.o. - - - - - *-Podosesia syringæ* Harr.
 Lima bean stem borer - - - - - *-Monoptilota pergratialis* Hlst.
 Lime-tree looper a.n.o. - - - - - *-Erannis tiliaria* Harris
 Locust borer a.n.o. - - - - - *-Cyllene robinia* Forst.
 Locust leaf miner - - - - - *-Chalepus dorsalis* Thunb.
 Locust twig borer - - - - - *-Ecodytolopha insiticihana* Zell.
 Lubber grasshopper a.n.o. - - - - - *-Brachystola magna* Gir.

M

Magnolia scale a.n.o. - - - - - *-Neolecanium cornuparvum* Thos.
 Maple leaf cutter - - - - - *-Paraclemensia acerifoliella* Fitch
 Maple phenacoccus - - - - - *-Phenacoccus acericola* King
 May beetles - - - - - *-Phyllophaga* spp.
 Meadow plant bug - - - - - *-Miris dolabratus* L.
 Meal moth a.n.o. - - - - - *-Pyralis farinalis* Comst.
 Mealy plum aphid a.n.o. - - - - - *-Hyalopterus arundinis* Fab.
 Mediterranean fruit fly a.n.o. - - - - - *-Ceratitis capitata* Wied.
 Mediterranean figur moth a.n.o. - - - - - *-Ephestia kuehniella* Zell.
 Melon aphid a.n.o. - - - - - *-Aphis gossypii* Glev.
 Melon worm a.n.o. - - - - - *-Diaphania hyalinata* L.
 Mexican bean beetle a.n.o. - - - - - *-Epilachna corrupta* Muls.
 Millipedes - - - - - *-Myriopoda*
 Morgan's scale - - - - - *-Chrysomphalus dictyospermi* Morg.

Mormon cricket - - - - - *Anabrus simplex* Hald.
 Mossy rose gall - - - - - (Rhodites) *Diplolepis rosae* L.
 Mosquitoes - - - - - Culicidae

H

Nantucket tip moth - - - - - *Rhyacionia frustrana* Comst.
 New York weevil a.n.o. - - - - - *Elycerus noveboracensis* Forst.
 Northern mole cricket a.n.o. - - - - - *Gryllotalpa hexadactyla* Perty
 Nose bot fly - - - - - *Gastrophilus haemorrhoidalis* L.

O

Oak eriococcus - - - - - *Eriococcus quercus* Comst.
 Oak lecanium - - - - - *Lecanium quercifex* Fitch
 Obscure scale a.n.o. - - - - - *Chrysomphalus obscurus* Comst.
 Olive fruit-fly - - - - - *Dacus oleae* Rossi
 Onion maggot a.n.o. - - - - - *Hyalemyia antiqua* Meig.
 Onion thrips a.n.o. - - - - - *Thrips tabaci* L.
 Orange thrips a.n.o. - - - - - *Euthrips citri* Moulton
 Oriental moth a.n.o. - - - - - *Onidocampa flavescens* Walk.
 Oriental fruit moth - - - - - *Laspeyresia molesta* Busck
 Ox warble - - - - - *Hypoderma lineatum* DeVill.
 Cyster-shell scale a.n.o. - - - - - *Lepidosaphes ulmi* L.

P

Painted lady - - - - - *Vanessa cardui* L.
 Pale western cutworm - - - - - *Perodesmotis orthogonia* Morr.
 Parlatoria date scale - - - - - *Parlatoria blanchardi* Targ.
 Parsley stalk weevil - - - - - *Listronotus laevisculus* Boh.
 Pea aphid a.n.o. - - - - - *Illinoia pisi* Kalt.
 Peach bark beetle a.n.o. - - - - - *Phloeotribus liminaris* Harr.
 Peach borer a.n.o. - - - - - *Aegeria exitiosa* Say
 Peach twig borer a.n.o. - - - - - *Anarsia lineatella* Zell.
 Pear-leaf blister mite a.n.o. - - - - - *Eriophyes pyri* Pget.
 Pear leaf rust mite - - - - - *Eutimerus pyri* Malepa
 Pear midge a.n.o. - - - - - *Contarinia pyrivora* Riley
 Pear plant bug a.n.o. - - - - - *Lygus communis* Knight
 Pear psylla a.n.o. - - - - - *Psylla pyricola* Poerst.
 Pear slug a.n.o. - - - - - *Caliroa cerasi* L.
 Pear thrips a.n.o. - - - - - *Tachiothrips inconsequens* Uzel.
 Pecan budworm - - - - - *Proteopteryx belliana* Sling.
 Pecan cossid - - - - - *Cossula magnifica* Stkr.
 Pepper weevil - - - - - *Anthonomus eugenii* Cano
 Periodical cicada a.n.o. - - - - - *Tibicina septendecim* L.
 Persimmon psyllid - - - - - *Trioza diospyri* Ashm.
 Phylacrid beetle - - - - - *Eustilbus aticalis* Walsh.
 Pickle worm a.n.o. - - - - - *Diaphania nitidalis* Cramer
 Pine bark beetle - - - - - *Dendroctonus* sp.
 Pine bark louse - - - - - *Chermes pinicorticis* Fitch
 Pine scale - - - - - *Chionaspis pinifoliae* Fitch
 Pine shoot moth - - - - - *Rhyacionia buoliana* Schiff.
 Pink bollworm a.n.o. - - - - - *Pectinophora gossypiella* Saund.

See

Pistol case bearer a.n.o. - - - - - Coleophora malivorella Riley
 Plum aphid - - - - - Myzus mahaleb Fons.
 Plum curculio a.n.o. - - - - - Conotrachelus nemophar Host.
 Plum gouger a.n.o. - - - - - Anthonomus scutellaris Lec.
 Poplar borer a.n.o. - - - - - Saperda calcarata Say
 Poplar vagabond gall - - - - - Mordvilkoja vagabunda Walsh
 Potato aphid a.n.o. - - - - - Illinoia solanifolii Ashm.
 Potato flea beetle a.n.o. - - - - - Epitrix cucumeris Harr.
 Potato tuber worm a.n.o. - - - - - Phthorimaea operculella Zell.
 Powder post beetle - - - - - Lyctus planicollis Lec.
 Purple scale a.n.o. - - - - - Lepidosaphes beekii Newm.
 Russ caterpillar - - - - - Lagoa crispata Pack.
 Putnam's scale a.n.o. - - - - - Aspidiotus ancylus Putn.

Q

Quince curculio - - - - - Conotrachelus orataegi Walsh

R

Radish weevil - - - - - Cleonus sparsus Lec.
 Raspberry cane borer a.n.o. - - - - - Cborea bimaculata Oliv.
 Raspberry cane maggot a.n.o. - - - - - Phorbia rubivora Coq. = (Pegomya rubivora)
 Raspberry fruitworm - - - - - Byturus unicolor Say
 Raspberry sawfly a.n.o. - - - - - Monophadnoides rubi Harris
 Red-backed cutworm a.n.o. - - - - - Euxoa ochrogaster Guen.
 Red-banded leaf roller - - - - - Eulia velutinana Walk.
 Red-headed flea beetle - - - - - Systema frontalis Fab.
 Red-humped caterpillar a.n.o. - - - - - Schizura concinna S. & A.
 Red-humped oak caterpillar - - - - - Symmerista albifrons S. & A.
 Red-legged flea beetle a.n.o. - - - - - Crepidodera erythropus Melsh.
 Red-necked cane borer - - - - - Agrilus ruficollis Fab.
 Red-shouldered shot-hole borer - - - - - Xylobiops basilaris Say
 Rhododendron lacebug a.n.o. - - - - - Stephanitis rhododendri Horv.
 Rice stalk borer - - - - - Chilo plejadellus Zinck.
 Rice stink bug - - - - - Solubea pugnax Fab.
 Rice water weevil a.n. o. - - - - - Lissorhoptrus simplex Say
 Rose aphid - - - - - Macrosiphum rosae L.
 Rose chafer a.n.o. - - - - - Macroductylus subspinosus Fab.
 Rose curculio a.n.o. - - - - - Rhynchites bicolor Fab.
 Rose leaf beetle - - - - - Rodonota puncticollis Say
 Rose leafhopper - - - - - Empoa rosae L.
 Rose leaf roller - - - - - Archips rosaceana Harr.
 Rose midge a.n.o. - - - - - Dasyneura rhodophaga Coq.
 Rose sawfly a.n.o. - - - - - Caliroa aethiops Fab.
 Rosy apple aphid - - - - - Anuraphis roseus Baker
 Round-headed apple tree borer a.n.o. - - - - - Saperda candida Fab.
 Rove beetles - - - - - Staphylinidae
 Rusty plum aphid a.n.o. - - - - - Hysteroneura setariae Thomas

S

Salt-marsh caterpillar a.n.o. - - - - - Estigmene acraea Drury
 San Jose scale a.n.o. - - - - - Aspidiotus perniciosus Comst.

Satin moth - - - - -	<i>Stilpnotia salicis</i> L.
Sawflies - - - - -	<i>Sterictophora ebena</i> Norton
Saw-toothed grain beetle a.n.o. - - - - -	<i>Cryzaepilus surinamensis</i> L.
Screw worm a.n.o. - - - - -	<i>Cochliomyia macellaria</i> Fab.
Scurfy scale a.n.o. - - - - -	<i>Chionaspis furfura</i> Fitch
Seed corn maggot a.n.o. - - - - -	<i>Hylemyia cilicrura</i> Rond.
Semitropical armyworm - - - - -	<i>Xylomyges eridania</i> Cram.
Serica beetle - - - - -	<i>Serica fimbriata</i> Lec.
Serpentine leafminer a.n.o. - - - - -	<i>Agromyza pusilla</i> Meig.
Sheep bot fly - - - - -	<i>Cestrus ovis</i> L.
Sheep tick a.n.o. - - - - -	<i>Melophagus ovinus</i> L.
Short-nosed cattle louse - - - - -	<i>Haematopinus euryesternus</i> Nitzsch
Shot-hole borer a.n.o. - - - - -	<i>Scolytus rugulosus</i> Ratz.
Sinuate pear tree borer a.n.o. - - - - -	<i>Agrilus sinuatus</i> Oliv.
Six-spotted grape beetle - - - - -	<i>Pelidnota punctata</i> L.
Six-spotted leafhopper a.n.o. - - - - -	<i>Cicadula sexnotata</i> Fab.
Small body hen louse - - - - -	<i>Menopon pallidum</i> Nitzsch
Snowball aphid - - - - -	<i>Anuraphis viburnicola</i> Gill.
Snowy tree cricket a.n.o. - - - - -	<i>Oecanthus niveus</i> DeG.
Soft scale a.n.o. - - - - -	<i>Coccus hesperidum</i> L.
Sorghum midge - - - - -	<i>Contarinia sorghicola</i> Coq.
Southern cabbage worm a.n.o. - - - - -	<i>Pieris protodice</i> Boisd.
Southern green stinkbug - - - - -	<i>Nezara viridula</i> L.
Southern lubber grasshopper - - - - -	<i>Romalea microptera</i> Beauv.
Southern pine beetle a.n.o. - - - - -	<i>Dendroctonus frontalis</i> Zimm.
Spinach leaf miner - - - - -	<i>Pegomya hyoscyami</i> Panz.
Spinose ear tick - - - - -	<i>Ornithodoros megnini</i> Duges
Spiny elm caterpillar - - - - -	<i>Euvanessa antiopa</i> L.
Spiny witch-hazel gall - - - - -	<i>Hamamelistes spinosus</i> Shim.
Spiraea aphid - - - - -	<i>Aphis spireaella</i> Schout.
Spotted blister beetle a.n.o. - - - - -	<i>Epicauta maculata</i> Say
Spotted cucumber beetle a.n.o. - - - - -	<i>Diabrotica 12-punctata</i> Fab.
Spotted fever tick - - - - -	<i>Dermacentor venustus</i> Banks
Spring canker worm a.n.o. - - - - -	<i>Paleacrita vernata</i> Peck
Springtails - - - - -	<i>Sminthurus</i> sp.
Spruce budworm a.n.o. - - - - -	<i>Harmologa fumiferana</i> Clem.
Spruce gall aphid - - - - -	<i>Chermes abietis</i> L.
Squash borer a.n.o. - - - - -	<i>Melittia satyriniformis</i> Hbn.
Squash bug - - - - -	<i>Anasa tristis</i> DeG.
Stable fly a.n.o. - - - - -	<i>Stomoxys calcitrans</i> L.
Stalk borer a.n.o. - - - - -	<i>Papaipema nitela</i> Guen.
Sticktight flea - - - - -	<i>Echidnophaga gallinacea</i> Westw.
Strawberry crown borer a.n.o. - - - - -	<i>Tyloderma fragariae</i> Riley
Strawberry crown moth a.n.o. - - - - -	<i>Synanthedon rutilans</i> Hy.Edw.
Strawberry flea beetle a.n.o. - - - - -	<i>Haltica ignita</i> Ill.
Strawberry leaf roller a.n.o. - - - - -	<i>Ancylis comptana</i> Froehl.
Strawberry root aphid - - - - -	<i>Aphis forbesi</i> Weed.
Strawberry weevil a.n.o. - - - - -	<i>Anthonomus signatus</i> Say
Striped blister beetle a.n.o. - - - - -	<i>Epicauta vittata</i> Fab.
Striped cucumber beetle a.n.o. - - - - -	<i>Diabrotica vittata</i> Fab.
Striped flea beetle - - - - -	<i>Phyllotreta vittata</i> Fab.
Striped tree cricket - - - - -	<i>Oecanthus nigricornis</i> Walk.
Sucking goat louse - - - - -	<i>Linognathus stenopsis</i> Burm.
Sugarbeet leafhopper - - - - -	<i>Eutettix tenellus</i> Baker
Sugarbeet nematode - - - - -	<i>Heterodera schachtii</i> Sch.

See

Sugarbeet wireworm - - - - -Pholetes californicus Mann.
 Sugarcane beetle a.n.o. - - - - -Euethola rugiceps Lec.
 Sugarcane borer a.n.o. - - - - -Diatraea saccharalis Fab.
 Sugarcane leaf scale - - - - -Pulvinaria learyi Guér.
 Sunflower weevil - - - - -Rhodobaenus tredecimpunctatus Ill.
 Surinam roach - - - - -Pyrenoscopus surinamensis L.
 Sweet-potato weevil a.m.o. - - - - -Cylas formicarius Fab.

T

Tarnished plant bug a.n.o. - - - - -Lygus pratensis L.
 Terrapin scale a.n.o. - - - - -Eulecanium nigrofasciatum Perg.
 Three lined fig borer - - - - -Ptychodes trilineatus L.
 Thrips - - - - -Thysanoptera
 Throat bot fly - - - - -Gastrophilus nasalis L.
 Tiny red ant - - - - -Monomorium pharaonis L.
 Tobacco budworm - - - - -Heliothis virescens Fab.
 Tobacco flea beetle a.n.o. - - - - -Epitrix parvula Fab.
 Tobacco thrips - - - - -Heliothrips fusca Hinds
 Tobacco worm a.n.o. - - - - -Protoparce quinquemaculata Haw.
 Tomato suckfly - - - - -Diosphus minimus Uhler
 Tomato worm a.n.o. - - - - -Protoparce sexta Sch.
 Tortoise beetles - - - - -Cassidinae
 Tulip scale - - - - -Toxoptera liriodendri Gmel.
 Turkish lead cable borer - - - - -Sinoxylon sexdentatum Oliv.
 Turnip aphid a.n.o. - - - - -Rhopalosiphum pseudo brassicae Davis

U

Ugly-nest caterpillar - - - - -Archips cerasivorana Fitch

V

Variegated cutworm a.n.o. - - - - -Lycophotia margaritosa Haw.
 Velvet bean caterpillar - - - - -Anticarsia gemmatilis Hbn.

W

Walnut blister mite - - - - -Eriophyes tristriatus Malepa
 Walnut caterpillar a.n.o. - - - - -Datana integerrima G. & R.
 Walnut curculio - - - - -Conotrachelus juglandis Lec.
 Webworms - - - - -Crambus caliginosellus Clem.
 West Indian cane leafhopper - - - - -Saccharosydne (Delphax) saccharivora Westw.
 West Indian fruit fly a.n.o. - - - - -Anastrepha fraterculus Wied.
 West Indian peach scale - - - - -Aulacaspis pentagona Targ.
 Western cedar borer - - - - -Trachykele blondeli Mars.
 Western spotted cucumber beetle a.n.o. - - - - -Diabrotica soror Lec.
 Western wheat stem maggot - - - - -Hylemyia cerealis Gill.
 Western wheat stem sawfly - - - - -Cephus cinctus Norton
 Wheat stem maggot a.n.o. - - - - -Meromyza americana Fitch
 Wheat stem sawfly - - - - -Cephus pygmaeus L.

Sec

Wheat straw worm a.n.o. - - - - - *Harmolita grandis* Riley
 Wheat wireworm a.n.o. - - - - - *Agriotes mancus* Say
 Whiteflies - - - - - Aleurodidae
 White grubs - - - - - *Phyllophaga* spp.
 White-marked tussock moth a.n.o. - - - *Hemerocampa leucostigma* S. & A.
 White pine sawfly - - - - - *Neodiprion pinetum* Norton
 White-pine weevil a.n.o. - - - - - *Pissodes strobi* Peck
 Wireworms - - - - - Elateridae
 Woolly apple aphid a.n.o. - - - - - *Eriosoma lanigerum* Hausm.

Y

Yellow-fever mosquito a.n.o. - - - - - *Aedes aegypti* L.
 Yellow-headed fireworm a.n.o. - - - - - *Peronea minuta* Rob.
 Yellow-necked caterpillar a.n.o. - - - - *Datana ministra* Drury
 Yellow-striped armyworm a.n.o. - - - - - *Prodenia ornithogalli* Guen.
 Yellow woolly bear - - - - - *Diacrisia virginica* Fab.

Z

Zebra caterpillar a.n.o. - - - - - *Mamestra picta* Harr.